

APPLICATION FOR PERMIT

Serial No. 10218

TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF NEVADA

Date of first receipt and filing in State Engineer's office MAR 29 1938
 Returned to applicant for correction _____
 Corrected application filed _____

The undersigned J. T. McWilliams
Name of applicant
 of 222 Wilson Ave., Las Vegas, County of Clark,
 State of Nevada, hereby makes application for
 permission to appropriate the public waters of the State of Nevada, as
 hereinafter stated. (If applicant is a corporation, give date and place
 of incorporation.)

1. The source of the proposed appropriation is Three Springs which
Name of stream, lake, or other source
combine to form one creek above the Point of Diversion.
2. The amount of water applied for is Two second-feet.
One second-foot equals 40 miners' inches
3. The water to be used for Domestic and Public Use in Camp Grounds and
Ice Pond and Swimming Pool.
Irrigation, power, mining, manufacturing, domestic, or other use
4. The water is to be diverted from its source at the following point:
N. 85° 17' E. 83.04 ft from West 1/4 Cor. Section 15 T. 19S.R.56E.
Describe as being within a 40-acre subdivision of public survey, or by course and distance to a section-corner. If on unsurveyed land, it should be so stated.
M.D.M.

IF THE WATER IS TO BE USED FOR IRRIGATION, SUPPLY THE FOLLOWING INFORMATION:

- (a) Number of acres to be irrigated is _____
- (b) Description of land to be ~~irrigated~~ supplied with water for above
Describe by legal subdivision, or if on unsurveyed land it should
named uses. Portions of Sections 3 and 10, T. 19 S., R. 56 E. M.D.M.
Be so stated and a description provided in accordance with special instruction from the State Engineer when application is returned for correction.
as shown on the accompanying map.

- (c) Use will begin about January and end about December, of each year.
Month Month

IF WATER IS TO BE USED FOR POWER, MINING, STOCK WATERING, OR OTHER USE, SUPPLY THE FOLLOWING INFORMATION:

- (d) Power to be developed is _____ horsepower.
- (e) Works to be located Concrete wall 1 ft wide x 4 ft high x 28 ft.
long near S.W. Cor. of SW $\frac{1}{4}$ of NW $\frac{1}{4}$ Section 15 T. 19 S. R. 56 E. Mer at
intake of 6" diam pipe line.
Give 40-acre subdivision on which works will be located, or if on unsurveyed land, state to which section it belongs.
- (f) Point of return of water to stream water wholly conveyed by pipe line
with various hydrants and cut off valves to its extreme northerly end in
SW $\frac{1}{4}$ of SE $\frac{1}{4}$ Section 3, T. 19 S., R. 56 E.
Describe in some manner as point of diversion
- (g) State number and kinds of animals to be watered _____
- (h) Use will begin about January and end about December, of each year.
Month Month
- (i) Remarks _____



DESCRIPTION OF PROPOSED WORKS

Concrete Dam 1'x4"x28' long at Intake marked Point of Diversion, thence by different diameters of iron pipe, to concrete reservoir 11'x11'x10' in NE 1/4 of SW 1/4 Section 10T.19S. R.56E. M.D.M. thence by iron pipe 2 1/2" diam. 2" diam and 3/4" for distribution system under valve and hydrant tap control.

5. Estimated cost of works approximately \$12,000.00 expended to date

6. Estimated time required to construct works 3 years

7. Remarks It is the aim of applicant to create a perpetual playground for the people, among the many thousands of yellow pine and fir trees for the pleasure and recreation of Citizens, and the many thousands of visitors who come every week in the year to Southern Nevada.

J. T. McWilliams, Applicant.

By

Compared RMG-C.T.

This sheet inspected, Engineer.

APPROVAL OF STATE ENGINEER

This is to certify that I have examined the foregoing application, and do hereby grant the same, subject to the following limitations and conditions:

This permit is issued subject to all prior rights. It is understood that the two (2) cubic feet of water per second herein granted is only a temporary allowance and that the final water right obtained under this permit will be dependent upon the amount of water actually placed to a beneficial use. It is further understood that accurate measurements of the water placed to a beneficial use must be included in the proof of such use when filed. The State reserves the right to regulate the use of the water herein granted at any and all times.

The amount of water to be appropriated shall be limited to the amount which can be applied to beneficial use, and not to exceed Two (2) cubic feet per second.

Actual construction work shall begin on or before January 1, 1939

Proof of commencement of work shall be filed before February 1, 1939

Work must be prosecuted with reasonable diligence and be completed on or before January 1, 1942

Proof of completion of work shall be filed before February 1, 1942

Application of water to beneficial use shall be made on or before

January 1, 1944. Proof of the application of water to beneficial use must be filed with State Engineer on or before February 1, 1944

Map Filed Mar. 25, 1938

Proof of commencement of work filed FEB 25 1939 WITNESS MY HAND AND SEAL this 13th day

Proof of completion of work filed DEC 24 1943

Proof of Beneficial use filed DEC 24 1943

of June 1938

State No. 2762 issued Jan. 25, 1944, for 0.09 cfs. Domestic + 3.39 public use. February 7, 1944, 2nd Water Page 22. Approved. C. L. ...

State Engineer. [Signature: Alpha ...] [Seal: STATE ENGINEER]

Compared RMG-RSA. Approved By 53222 5084